



Future of Motoring



Worldwide manufacturer for lubricants and greases across industries and application

Future Oil and Grease Industry FZE
South free Zone,
Ras Al Khaimah - UAE

T : +971 50 825 9007
E : info@furoils.com
www.futrol.com



facebook.com/future-Oil-Lubricants





Introduction

Communities across the world share one common concern for the future—the need for sustainable energy practices. At Futrol, we are committed not only to share this concern but also make a substantial contribution to this. For this we have a story for the future, a story that will make the lives of our children a lot more happier and this planet a more liveable one. Our forward thinking polices and practices not only make the present a more meaningful one but also the future a more brighter one too. Our everyday practices transform us from a mere lubricant manufacturer to a company that set benchmarks for others to follow and illustrate how corporate governance can co-exists with social responsibility.

SMOKE FREE[™] TECHNOLOGY

At Futrol, we are always at the forefront to deliver the best to our clients/ customers. Every litre of our engine oil is hot-blended in our state-of-the-art manufacturing facilities using fully imported raw materials. Finer aspects of quality is checked at every stage of production by our quality control team till its reaches our end customer.

Every product from Futrol is a step towards creating a healthy planet for our children. 'SMOKE FREE' engine oils is another innovation from us. Use of special additives(developed through our R&D) reduces the emission levels to negligible limits. This in the long run increases the life of your vehicle. Switch to Futrol, and drive into a 'SMOKE FREE' world.

Our Company

We, Future oils is a worldwide manufacturer of Lubricants and greases. Our strength is a committed technical and quality excellence ensuring that all our products are vigorously tested to perform under the most demanding conditions with competitive prices and outstanding aftersales service.

We have proven capabilities to cater to the booming demands of our products across the globe. We have state-of-art production facilities at strategic locations.

We value the importance of keeping ourselves abreast with latest technologies and have deployed international robust quality systems and procedures with highly skilled workforce. To support our vision we have Infrastructure which is well equipped with in-house storage tanks, hi-tech warehouses with well integrated logistic support system. Our inherent flexibilities allow us to scale quickly, ramp up teams and infrastructure in response to market requirements.

Content

Engine Oil	06 - 11
Gear Oil	12 - 13
Transmission Fluid	14 - 15
Hydraulic Oil	16
Marine Oil	17
Grease	18 - 19

Our Global Network



- | | | | | | | | | |
|--------------|--------------|-------------|-----------------|---------------|-----------------|------------------|-----------------|-----------------------------|
| 1. Europe | 5. Hong Kong | 9. Qatar | 13. West Indies | 17. Cost Rica | 21. India. | 25. Tanzania | 29. Iran | 33. Yemen |
| 2. Australia | 6. Georgia | 10. Kuwait | 14. Turkey | 18. Myanmar | 22. Pakistan. | 26. Burkina Faso | 30. Iraq | 34. Lebanon |
| 3. Vietnam | 7. Cameroon | 11. Bahrain | 15. Congo | 19. Angola | 23. Bangladesh. | 27. Senegal | 31. Afghanistan | 35. Abidjan - Cote D'Ivoire |
| 4. Spain | 8. Croatia | 12. Oman | 16. Cambodia | 20. Niger | 24. Sudan. | 28. Gambia | 32. Palestine | 36. Jordan |

Engine Oil



FUTROL MULTI GRADE FULLY SYNTHETIC ENGINE OIL - SAE 0W30 API SN/ SAE 0W40 API SN



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality synthetic base stocks and state-of-the-art additive technology. Specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Fully Synthetic Engine Oils are blended from superior synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provides good protection against sludge and corrosion, it gives your engine running like new in all conditions.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. provides excellent overall performance Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. Suitable & exceeds the performance requirements of most modern vehicle manufacturers. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE FULLY SYNTHETIC ENGINE OIL - SAE 10W30 API SN / SAE 10W40 API SN



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality synthetic base stocks and state-of-the-art additive technology. Specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Fully Synthetic Engine Oils are blended from superior synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provides good protection against sludge and corrosion, it gives your engine running like new in all conditions.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. provides excellent overall performance Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. Suitable & exceeds the performance requirements of most modern vehicle manufacturers. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE FULLY SYNTHETIC ENGINE OIL - SAE 5W30 API SN / SAE 5W40 API SN



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality synthetic base stocks and state-of-the-art additive technology. Specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Fully Synthetic Engine Oils are blended from superior synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provides good protection against sludge and corrosion, it gives your engine running like new in all conditions.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. provides excellent overall performance Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. Suitable & exceeds the performance requirements of most modern vehicle manufacturers. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE FULLY SYNTHETIC MOTOR CYCLE OIL - SAE 10W40 API SN



PERFORMANCE BENEFITS

Futrol Motor Cycle Oil SAE 10W40 is designed for all type of motorcycles and scooters that specify the use of 10W40 engine oil. This product will help provide excellent performance in motorcycle engines that are designed with a common engine/transmission lubrication system or where the engine lubrication system is separate from the transmission system. This engine oils are designed to help provide the proper frictional characteristics necessary for wet-clutch common engine/ transmission systems.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Futrol Motor Cycle oil SAE 10W40 API SN is specially designed for use in two stroke air-cooled gasoline engines. It is also recommended for smaller engines fitted in scooters, motorcycles, lawn mowers, chainsaws and other small equipment. It is inhibited with low ash detergent additives to provide protection against seizure, scuffing and wear. A diluent is added for easier mixing with gasoline. Suitable for Motorcycles with exhaust catalytic 	0.8 Ltr & 1 Ltr

FUTROL MULTI GRADE FULLY SYNTHETIC MOTOR CYCLE OIL - SAE 20W50 API SL



PERFORMANCE BENEFITS

Futrol Motor Cycle Oil SAE 20W50 is recommended for motorcycles which specify the use of a 20W50 engine oil. This product will help provide excellent performance in motorcycle engines that are designed with a common engine/transmission lubrication system or where the engine lubrication system is separate from the transmission system. This engine oils are designed to help provide the proper frictional characteristics necessary for wet-clutch common engine/ transmission systems.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Futrol Motor Cycle oil SAE 20W50 API SL is specially designed for 2 stroke and 4 stroke air-cooled gasoline engines. It is also recommended for smaller engines fitted in scooters, motorcycles, lawn mowers, chainsaws and other small equipment. It is inhibited with low ash detergent additives to provide protection against seizure, scuffing and wear. Latest generation, four-stroke, two stroke scooter engines 	0.8 Ltr & 1 Ltr

FUTROL MULTI GRADE SEMI SYNTHETIC ENGINE OIL - SAE 5W30 API SM / SAE 5W40 API SM



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with premium base stocks and additives. This high performance lubricant made by Semi synthetic technology in our state of the art manufacturing facility and it is specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Semi Synthetic Engine Oils are blended from semi synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provide good protection against sludge and corrosion.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. All turbocharged and multi-valved engines. Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. It provides effective protection against oxidation, wear and corrosion under high temperature operations and remains a stable multi grade engine oil 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE SEMI SYNTHETIC ENGINE OIL - SAE 10W30 API SM / SAE 10W40 API SM



PERFORMANCE BENEFITS

This is superior quality multi grade oil with new conception, formulated with premium base stocks and additives. This high performance lubricant made by Semi synthetic technology in our state of the art manufacturing facility. It is specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Semi Synthetic Engine Oils are blended from semi synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provide good protection against sludge and corrosion.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. All turbocharged and multi-valved engines. Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. It provides effective protection against oxidation, wear and corrosion under high temperature operations and remains a stable multi grade engine oil 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE SEMI SYNTHETIC ENGINE OIL - SAE 20W50 API SM



PERFORMANCE BENEFITS

This is superior quality multi grade oil with new conception, formulated with premium base stocks and additives. This high performance lubricant made by Semi synthetic technology in our state of the art manufacturing facility. It is specially developed for Gasoline and Diesel car engines, meeting and complying with the requirements of the latest direct injection engines and conventional engines as well.

Futrol Multi Grade Semi Synthetic Engine Oils are blended from semi synthetic base stocks, with detergent dispersant, anti-oxidant and anti-wear additives, which provide good protection against sludge and corrosion.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for all Gasoline and Diesel engines in cars and light industrial vehicles. All turbocharged and multi-valved engines. Suitable for most severe operating conditions, on road, Off road, dense city traffic & in extreme weather conditions. It provides effective protection against oxidation, wear and corrosion under high temperature operations and remains a stable multi grade engine oil 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE MOTOR ENGINE OIL - SAE 10W30 API SL / SAE 10W40 API SL



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality base stocks and state-of-the-art additive technology. This new generation automotive oils are based on revolutionary concepts and meets the performance requirements of today's gasoline engines.

Recommended for the lubrication of most modern, high-powered cars, vans and light trucks, including multi valve techniques and those vehicles fitted with or without catalytic converters, operating under most severe driving conditions

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for gasoline and diesel engine passenger and commercial vehicles of every make and type, turbocharged or naturally aspirated, which require API SL/CF quality oil. It can also be used for engines where API Service Category SJ and earlier categories are recommended. It provides good cold starting and high resistance to sludge, low volatility characteristics, low oil consumption and is fully compatible with the catalytic converters and exhaust emission control equipment. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE MOTOR ENGINE OIL - SAE 15W40 API SL



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality base stocks and state-of-the-art additive technology. This new generation automotive oils are based on revolutionary concepts and meets the performance requirements of today's gasoline engines.

Recommended for the lubrication of most modern, high-powered cars, vans and light trucks, including multi valve techniques and those vehicles fitted with or without catalytic converters, operating under most severe driving conditions

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for gasoline and diesel engine passenger and commercial vehicles of every make and type, turbocharged or naturally aspirated, which require API SL/CF quality oil. It can also be used for engines where API Service Category SJ and earlier categories are recommended. It provides good cold starting and high resistance to sludge, low volatility characteristics, low oil consumption and is fully compatible with the catalytic converters and exhaust emission control equipment. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE MOTOR ENGINE OIL - SAE 20W50 API SL



PERFORMANCE BENEFITS

This is superior quality multi grade engine oil with new conception, formulated with high quality base stocks and state-of-the-art additive technology. This new generation automotive oils are based on revolutionary concepts and meets the performance requirements of today's gasoline engines.

Recommended for the lubrication of most modern, high-powered cars, vans and light trucks, including multi valve techniques and those vehicles fitted with or without catalytic converters, operating under most severe driving conditions

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for gasoline and diesel engine passenger and commercial vehicles of every make and type, turbocharged or naturally aspirated, which require API SL/CF quality oil. It can also be used for engines where API Service Category SJ and earlier categories are recommended. It provides good cold starting and high resistance to sludge, low volatility characteristics, low oil consumption and is fully compatible with the catalytic converters and exhaust emission control equipment. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MULTI GRADE DIESEL ENGINE OIL - SAE 15W40 API-CF4/ CH4/ CI4/ CI4 PLUS/ CJ4



PERFORMANCE BENEFITS

Futrol Diesel Engine Oil is mixed fleet engine oil for heavy-duty diesel vehicles and passenger cars. It is recommended engine oil for low emissions and engines of conventional design fuelled by low and high sulfur diesel fuels. This is multi grade diesel engine oil blended with premium quality synthetic base oils, designed to give excellent performance in all recommended applications.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Naturally aspirated and turbocharged high speed diesel engines. All automotive diesel engines. High speed diesel engines. Commercial road transport in light, medium and heavy-duty service. Off-Road, on-road vehicles All construction and earth moving equipment. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MONO GRADE DIESEL ENGINE OIL - SAE 40 API - CF4/ CH4/ CI4



PERFORMANCE BENEFITS

A super high performance, premium-quality, heavy duty diesel engine oil designed for the most severe performance requirements of modern highly rated turbocharged diesel engines in road transport and off-highway operations.

This is mono grade diesel engine oil blended with premium quality mineral base oils, designed to give excellent performance in all recommended applications

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> This is Suitable for direct and indirect fuel injection. It is formulated with premium virgin base oils and superior additive to provide the highest diesel engine performance levels for the old and new diesel engine fuelled by both high and low Sulphur diesel. This engine oil contains an effective detergent-dispersant which keeps the engines highly clean. It is additionally fortified with oxidation-corrosion inhibitors, foam inhibitors to protect vital engine parts from scuffing and wear and to protect bearings from corrosion 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MONO GRADE DIESEL ENGINE OIL - SAE 50 API - CF4/ CH4/ CI4




PERFORMANCE BENEFITS

A super high performance, premium-quality, heavy duty diesel engine oil designed for the most severe performance requirements of modern highly rated turbocharged diesel engines in road transport and off-highway operations.

This is mono grade diesel engine oil blended with premium quality mineral base oils, designed to give excellent performance in all recommended applications

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> This is Suitable for direct and indirect fuel injection. It is formulated with premium virgin base oils and superior additive to provide the highest diesel engine performance levels for the old and new diesel engine fuelled by both high and low Sulphur diesel. This engine oil contains an effective detergent-dispersant which keeps the engines highly clean. It is additionally fortified with oxidation-corrosion inhibitors, foam inhibitors to protect vital engine parts from scuffing and wear and to protect bearings from corrosion 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

Gear Oil



FUTROL MULTI GRADE GEAR OIL - SAE 80W90 API GL-5/ SAE 85W140 API GL-5



PERFORMANCE BENEFITS

This is superior gear oil particularly designed for gear boxes, axles and transfer boxes. Specifically designed for highly loaded hypoid gears. It is premium quality gear lubricants with high extreme-pressure properties, thermal stability, antiwear, anticorrosion and resist to oxidation and suitable for heavy-duty industrial gear lubricants formulated for enclosed gear sets operating under severe service conditions.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for the type of service characteristics of gears, particularly hypoid, in passenger cars and other automotive equipment, operated under high-speed/shock-load, high-speed/low-torque, and low-speed/high-torque conditions. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

FUTROL MONO GRADE GEAR OIL - SAE 90 API GL-4 / SAE 140 API GL-4



PERFORMANCE BENEFITS

This is superior gear oil particularly designed for gear boxes, axles and transfer boxes. Specifically designed for highly loaded hypoid gears. It is premium quality gear lubricants with high extreme-pressure properties, thermal stability, antiwear, anticorrosion and resist to oxidation and suitable for heavy-duty industrial gear lubricants formulated for enclosed gear sets operating under severe service conditions.

APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> Recommended for the type of service characteristics of gears, particularly hypoid, in passenger cars and other automotive equipment, operated under high-speed/shock-load, high-speed/low-torque, and low-speed/high-torque conditions. 	1Ltr, 4Ltr, 5Ltr, 20Ltr & 208 Ltr.

Transmission Fluids



FUTROL BRAKE FLUID - DOT 3 / DOT 4

PERFORMANCE BENEFITS

This is a heavy-duty, high boiling point, synthetic brake and clutch fluid. It is a non-mineral, Glycol ether based fluid designed to give safe and efficient operation in all hydraulically operated disc and drum braking systems and clutches of cars and commercial vehicles except when a mineral oil based fluid is specified. A high boiling point guards against any loss of vital performance at the elevated temperatures experienced in modern disc braking systems.



APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> • DOT 3 is the most common type of brake fluid used in domestic cars and trucks. According to the Society of Automotive Engineers (SAE) • DOT 3 can absorb 2 percent of its volume in water every year. Over enough time excessive moisture will cause corrosion in the brake system which can lead to issues like vapor-lock or a spongy pedal. • DOT 4 is formulated for use by all vehicles, it has a higher boiling point than DOT 3 and it does not absorb moisture as fast. • DOT 4 and DOT 3 are interchangeable, however it's best to avoid adding DOT 3 fluid to a system that already uses DOT 4. • It's the preferred type of fluid used for street and high performance applications. 	<p>250 MI, 500 MI & 1Ltr.</p>

FUTROL AUTOMATIC TRANSMISSION FLUID - DEXRON II/ III/ VI

PERFORMANCE BENEFITS

This is a premium performance, synthetic technology fluid designed to meet the needs of multiple vehicle types for service fill in a automatic transmission service provide consistent, reliable, and smooth and trouble free operation of automatic transmission system, high viscosity index , extremely high control over wear, rust and corrosion to ensure long life of moving parts, excellent fluidity at low temperature, excellent protection against oxidation, foaming, low temperature sludge and high temperature deposits .



APPLICATION	AVAILABLE PACKING
<ul style="list-style-type: none"> • Friction modifier provides smooth shifting & trouble free operation. • Excellent oxidation resistance resulting in cleaner Transmissions. • Excellent low-temperature fluidity. • Better shear stability. • Completely miscible at any proportions with other allied automatic transmission fluids with no separation or color change. 	<p>1Ltr, 4Ltr , 5Ltr, 20Ltr & 208 Ltr.</p>

Hydraulic Oil



FUTROL HYDRAULIC OIL - ISO 32/ 37/ 46/ 68/ 100/ 150/ 220

PERFORMANCE BENEFITS

It is very high performance anti-wear hydraulic oils designed for use in all kind of hydraulic systems running under the most difficult conditions Suitable for use in many applications where an universal high performance anti-wear lubricant, good thermal stability, provides reliable air release filterability & oxidation stability is required.



APPLICATION

Recommended for most types of hydraulic systems, moderately-loaded gears and bearing lubricated by circulation and bath and ring oiling.

They are not recommended to be used with yellow and white metals components in any equipment. They are available in a wide range of viscosities to meet a variety of design and operating requirements.

AVAILABLE PACKING

1Ltr, 4Ltr , 5Ltr,
20Ltr & 208 Ltr.

Marine Oil



FUTROL MARINE OIL (SAE 30/ SAE 40)

PERFORMANCE BENEFITS

The modern additive technology used in this oil provides superior engine cleanliness & protection. This oil is available in SAE 30 & SAE 40 viscosity grades with a BN (Base Number) of 12 to 20. These oils exhibit a high degree of water tolerance and meet the performance requirements of API CF.



APPLICATION

- Recommended for medium speed engines used in marine, power generation and industrial applications operating on distillate fuels having sulphur contents up to 1.5 %. This product is also suitable for older engines where liner-lacquer is not a potential problem.
- Oils of appropriate BN to be chosen based on the sulphur content of fuel used. Follow manufacturers' recommendation for selection of suitable BN level/ viscosity grade.
- Also recommended for general lubrication of shipboard equipment where specialized lubricants are not required or use of API CF quality oils are adequate

AVAILABLE PACKING

1Ltr, 4Ltr , 5Ltr,
20Ltr & 208 Ltr.

Grease



FUTROL GREASE - EP-2, EP-3



PERFORMANCE BENEFITS

This is heavy duty grease formulated with high quality lithium soap thickener to provide excellent performance and reliability; it is very effective in both automatic and industrial application and offers the possibility of working in a corrosive atmosphere due to its resistance to mild alkaline and acidic solutions.

APPLICATION	AVAILABLE PACKING
Recommended for the lubrication of automotive chassis fittings and bearings and for general industrial lubrication where service conditions are moderate. It may be used in passenger cars, vans, trucks, farm tractors and general industrial equipment, machine tools and home appliances.	500 Gm, 1 Kg, 5 Kg, 15 Kg & amp; 180 Kg.

FUTROL GREASE - MP-2, MP-3



PERFORMANCE BENEFITS

This is heavy duty grease formulated with high quality lithium soap thickener to provide excellent performance and reliability; it is very effective in both automatic and industrial application and offers the possibility of working in a corrosive atmosphere due to its resistance to mild alkaline and acidic solutions.

APPLICATION	AVAILABLE PACKING
Recommended for the lubrication of automotive chassis fittings and bearings and for general industrial lubrication where service conditions are moderate. It may be used in passenger cars, vans, trucks, farm tractors and general industrial equipment, machine tools and home appliances.	500 Gm, 1 Kg, 5 Kg, 15 Kg & amp; 180 Kg.